

PANACHE Series

PDH 101

Material Specifications

- Material : Zinc Alloy
- Spindle : 8x8mm
- Conforms to EN 1906
- Matching escutcheons for euro cylinder




Chrome
PDH 101 CR



Gold
PDH 101 GL



Matt Black
PDH 101 MB



96 Hours Salt Spray Testing

Left & Right Compatible

Slient* Door Closing

2,00,000 Cycle Testing

7 Layers Electroplating

EN1906 Conformance

*With A2 Sweden Mortize Lock



PANACHE Series

PDH 102

Material Specifications

Material : Zinc Alloy

Spindle : 8x8mm

Conforms to EN 1906

Matching escutcheons for euro cylinder



Gold
PDH102 GL




Cyan
PDH 102 CY





Grey
PDH 102 GR




Matt Black
PDH 102 MB





 96 Hours
Salt Spray Testing

 2,00,000
Cycle Testing

 Left & Right
Compatible

 7 Layers
Electroplating

 Silent*
Door Closing

 EN1906
Conformance

*With A2 Sweden Mortise Lock



PANACHE Series

PDH 103

Material Specifications

Material : Zinc Alloy

Spindle : 8x8mm

Conforms to EN 1906


Matching escutcheons for euro cylinder





Gold
PDH 103 GL




Matt Black
PDH 103 RG





 96 Hours
Salt Spray Testing

 2,00,000
Cycle Testing

 Left & Right
Compatible

 7 Layers
Electroplating

 Silent*
Door Closing

 EN1906
Conformance

*With A2 Sweden Mortise Lock



PANACHE Series

PDH 104

Material Specifications

Material : Zinc Alloy

Spindle : 8x8mm

Conforms to EN 1906

Matching escutcheons for euro cylinder




Grey
PDH 104 GR





Gold
PDH 104 GL




Matt Black
PDH 104 MB





 96 Hours
Salt Spray Testing

 2,00,000
Cycle Testing

 Left & Right
Compatible

 7 Layers
Electroplating

 Silent*
Door Closing

 EN1906
Conformance

*With A2 Sweden Mortise Lock



PANACHE Series

PDH 105

Material Specifications

Material : Zinc Alloy

Spindle : 8x8mm

Conforms to EN 1906


Matching escutcheons for euro cylinder





Chrome
PDH 105 CR




Glod
PDH 105 GL





 96 Hours
Salt Spray Testing

 2,00,000
Cycle Testing

 Left & Right
Compatible

 7 Layers
Electroplating

 Silent*
Door Closing

 EN1906
Conformance

*With A2 Sweden Mortise Lock



PANACHE Series

PDH 106

Material Specifications

Material : Zinc Alloy

Spindle : 8x8mm

Conforms to EN 1906

Matching escutcheons for euro cylinder




Chrome
PDH 106 CR





Gold
PDH 106 GL




Matt Black
PDH 106 MB




 96 Hours
Salt Spray Testing

 2,00,000
Cycle Testing

 Left & Right
Compatible

 7 Layers
Electroplating

 Silent*
Door Closing

 EN1906
Conformance

*With A2 Sweden Mortise Lock



PANACHE Series

PDH 107

Material Specifications

Material : Zinc Alloy

Spindle : 8x8mm

Conforms to EN 1906

Matching escutcheons for euro cylinder




Satin SS
PDH 107 SS





Grey
PDH 107 GR




Black Matt
PDH 107 MB





 96 Hours
Salt Spray Testing

 2,00,000
Cycle Testing

 Left & Right
Compatible

 7 Layers
Electroplating

 Silent*
Door Closing

 EN1906
Conformance

*With A2 Sweden Mortise Lock



PANACHE Series

PDH 108

Material Specifications

Material : Zinc Alloy

Spindle : 8x8mm

Conforms to EN 1906


Matching escutcheons for euro cylinder





Stain SS
PDH 108 SS




Matt Black
PDH 108 MB





 96 Hours
Salt Spray Testing

 2,00,000
Cycle Testing

 Left & Right
Compatible

 7 Layers
Electroplating

 Silent*
Door Closing

 EN1906
Conformance

*With A2 Sweden Mortize Lock



PANACHE Series

PDH 109

Material Specifications

Material : Zinc Alloy

Spindle : 8x8mm

Conforms to EN 1906

Matching escutcheons for euro cylinder




Satin SS
PDH 109 SS





Grey
PDH 109 GR




Matt Black
PDH 109 MB





 96 Hours
Salt Spray Testing

 2,00,000
Cycle Testing


 Left & Right
Compatible

 7 Layers
Electroplating

 Silent*
Door Closing

 EN1906
Conformance

*With A2 Sweden Mortise Lock



PANACHE Series

PDH 110

Material Specifications


Material : Zinc Alloy


Spindle : 8x8mm


Conforms to EN 1906

Matching escutcheons for euro cylinder


Customized Colors Available





 96 Hours
Salt Spray Testing

 2,00,000
Cycle Testing

 Left & Right
Compatible

 7 Layers
Electroplating

 Silent*
Door Closing

 EN1906
Conformance

*With A2 Sweden Mortize Lock